

FIG. 1A

1/20




FIG. 1B




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6A

6/20




FIG. 6B





FIG. 6C



7/20

FIG. 6D




FIG. 6E




FIG. 7A

8/20




FIG. 7B




FIG. 7C




FIG. 8A

9/20




FIG. 8B

AIR VOLUME CONDITION (V)	TEMPERATURE DIFFERENCE (°C)	
	EMBODIMENT (e.g. FIG. 7A)	COMPARISON (e.g. FIG. 20A)
L6V-R6V	1.1	1.4
L7V-R5V	1.1	0.9
L5V-R7V	1.1	3.8
L8V-R4V	1.0	2.4
L4V-R8V	1.2	7.8
L10V-R2V	2.2	24.2
L2V-R10V	1.6	22.7
L12V-ROV	3.3	26.2
L0V-R12V	5.3	25.6

10/20

FIG. 9




FIG. 10A




FIG. 10B




FIG. 10C




FIG. 11




FIG. 12




FIG. 13

13/20




FIG. 14A





FIG. 14B



14/20

FIG. 14C




FIG. 14D





FIG. 14E



15/20

FIG. 15




FIG. 16A

16/20





FIG. 16B



17/20

FIG. 17





FIG. 18



18/20

FIG. 19
RELATED ART




FIG. 20A
RELATED ART





FIG. 20B
RELATED ART



20/20

FIG. 21
RELATED ART

